

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Montclair Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	35	24	0	0	35	24
AIDS-CD4 Only	#	#	#	#	56	38
HIV Only	#	#	#	#	55	38
-----	-----	---	-----	---	-----	---
Total	145	100	#	#	146	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	23	16	0	0	23	16
5-12	#	#	Black, Not Hispanic	#	#	#	#	112	77
13-19	#	#	Hispanic	9	6	0	0	9	6
20-29	5	3	Other/Unknown	#	#	#	#	#	#
30-39	22	15	-----	-----	---	-----	---	-----	---
40-49	61	42	Total	145	100	#	#	146	100
50+	52	36							
Unk.	0	0							
-----	-----	---							
Total	146	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	33	37	0	0	33	24
Injection drug user (IDU)	22	24	22	44	44	31
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	26	29	14	28	40	29
-----	-----	---	-----	---	-----	---
Total	90	100	50	100	140	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	6	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Montclair Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	101	(32)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	98	(31)
KS Alone	#	(#)	#	(#)	#	(#)	5	(2)
No Disease Listed	111	(36)	55	(52)	0	(0)	111	(35)
Total	312	(100)	222	(73)	#	(#)	315	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	72	23	0	0	72	23
5-12	#	#	Black, Not Hispanic	#	#	#	#	233	74
13-19	#	#	Hispanic	10	3	0	0	10	3
20-29	24	8	Other/Unknown	#	#	#	#	0	0
30-39	142	45	-----	-----	---	-----	---	-----	---
40-49	99	31	Total	312	100	#	#	315	100
Over 49	46	15							
Unknown	0	0							
Total	315	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	75	34	0	0	75	24
Injection drug user (IDU)	84	38	45	49	129	41
MSM/IDU	8	4	0	0	8	3
Heterosexual contact	14	6	25	27	39	13
Risk not reported/other***	39	18	21	23	60	19
Total	220	100	91	100	311	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Montclair Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	5	5	100%
1986	9	9	100%
1987	9	8	89%
1988	16	15	94%
1989	14	11	79%
1990	16	14	88%
1991	24	24	100%
1992	27	26	96%
1993	54	41	76%
1994	34	26	76%
1995	30	20	67%
1996	13	#	#
1997	13	5	38%
1998	10	#	#
1999	10	6	60%
2000	7	#	#
2001	5	#	#
2002	9	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	315	224	71%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Montclair Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	14	19	0	0	14	18
5-12	0	0	Black, Not Hispanic	#	#	#	#	57	74
13-19	#	#	Hispanic	5	7	0	0	5	6
20-29	13	17	Other/Unknown	#	#	#	#	#	#
30-39	28	36	-----	-----	---	-----	---	-----	---
40-49	23	29	Total	74	100	#	#	78	100
Over 49	9	12							
Unknown	0	0							
-----	-----	---							
Total	78	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	15	28	0	0	15	20
Injection drug user (IDU)	18	34	10	48	28	38
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	16	30	8	38	24	32
-----	-----	---	-----	---	-----	---
Total	53	100	21	100	74	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Montclair Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	204	52
AIDS-CD4 Only	#	#	#	#	111	28
HIV Only	#	#	#	#	78	20
-----	-----	---	-----	---	-----	---
Total	385	100	8	100	393	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	8	2	White, Not Hispanic	86	22	0	0	86	22
5-12	0	0	Black, Not Hispanic	282	73	8	100	290	74
13-19	#	#	Hispanic	15	4	0	0	15	4
20-29	51	13	Other/Unknown	#	#	0	0	#	#
30-39	173	44	-----	-----	---	-----	---	-----	---
40-49	112	28	Total	385	100	8	100	393	100
Over 49	47	12							
Unknown	#	#							
-----	-----	---							
Total	393	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	90	33	0	0	90	23
Injection drug user (IDU)	102	37	55	49	157	41
MSM/IDU	11	4	0	0	11	3
Heterosexual contact	15	5	28	25	43	11
Risk not reported/other***	55	20	29	26	84	22
-----	-----	---	-----	---	-----	---
Total	273	100	112	100	385	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	8	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Montclair Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	5	5	100%
1985	9	8	89%
1986	16	13	81%
1987	12	11	92%
1988	29	25	86%
1989	19	15	79%
1990	34	24	71%
1991	37	29	78%
1992	37	26	70%
1993	43	30	70%
1994	30	21	70%
1995	26	15	58%
1996	21	8	38%
1997	11	#	#
1998	13	#	#
1999	17	7	41%
2000	8	#	#
2001	10	#	#
2002	6	#	#
2003	9	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	393	247	63%